

# **OP-S9** ENT Chair

# COMFORT AND EXCELLENCE FOR DOCTOR AND PATIENT



### **ERGONOMICS AND SUPERIOR PRECISION**



# COMFORT FOR THE PATIENT, ERGONOMICS FOR THE PROFESSIONAL



## MOVEMENTS: ELEVATION AND ROTATION






## MOVEMENTS: INCLINATION

### **VISIBLE PRECISION**

Allows combining the positions of the backrest, seat, and leg rest, adapting to all postural needs required during the examination and treatment.



# ELECTRONICS AND CONTROLS OP-S9



## **ERGONOMICS AND COMFORT**



## **VERSATILE HEADREST**

Accessible system designed to keep the patient's head in the desired position.

Adjustable in angles and height with a fixation brake.

Incorporates a quick-release system that allows vestibular positional tests and routine practices.







## **ERGONOMICS AND COMFORT**



## **ARMRESTS AND LEG REST**



#### ARMRESTS

Highly durable, foldable, and padded in PUR.

The movement, synchronized with the backrest, ensures access for patients with reduced mobility and facilitates lateral procedures.

#### LEG REST


With concave PUR padding, keeps the legs of the patient together and moves synchronously with the backrest.



#### FOLDOWN FOOTREST

Highly resistant and appropriately sized to hold the patient's footwear, ensuring a comfortable and safe seating position.

## **COMFORT AND HYGIENE**



#### **COLOR OPTIONS**



#### **GENERAL CHARACTERISTICS**

MOVEMENTS	Motorized (electric control for elevation and inclination)
ROTATION	380° with electric brake

-10° CONTROL MODES 2 keypads on the side of the backrest + Pedal

Hand control and extended pedal

6 memories (3 programmable + 3 pre-programmed)

Welcome / Trendelenburg / 30° Position

On keypads and hand control

Seamless, washable PUR material. 5 color options Adjustable in angles and height, quick-release

Manually foldable, synchronized with the backrest

Synchronized with the backrest Manually foldable, high resistance

48cm 85cm

60cm (width) x 98cm (depth) x 106cm (height)

330Kg

110-240V / 50-60Hz

TRENDELENBURG

OPTIONALS CONTROL MODES

**USER MEMORIES** 

PRE-PROGRAMMED MEMORIES KEYPAD LOCK

UPHOLSTERY HEADREST

ARMRESTS LEG REST

FOOTREST

MINIMUM SEAT HEIGHT MAXIMUM SEAT HEIGHT

DIMENSIONS

MAXIMUM LIFTING CAPACITY

POWER CONNECTION

#### OPTOMIC ESPAÑA S.A.

Madroño, 4. E-28770 Colmenar Viejo. Madrid, Spain Tel: +34 91 804 44 44 export@optomic.com www.optomic.com







Optomic - Ref. C374ENG24